



APIMET

CUBIERTAS AUTOPORTANTES

PERFILPROFILE I/PROFILAP 300



DIMENSIONES / Dimensions / Dimensions



CARACTERÍSTICAS MECÁNICAS / Mechanical features / Caractéristiques mécaniques

Acero Steel Acier	Espesor Thickness Épaisseur (mm)	Área Area Région (cm ² /m)	Peso Weight Poids (kg/m)	Iz (cm ⁴ /m)	Iy (cm ⁴ /m)	Vy (cm)	Vpy (cm)	Wyinf (cm ³ /m)	Wysup (cm ³ /m)	Mrd (KNm/m)	Nrd (KN/m)
S250	0,80	17,22	13,52	5.161,42	1.954,48	11,87	17,70	164,71	110,43	27,61	430,49
	0,90	19,37	15,21	5.806,60	2.198,79	11,87	17,70	185,30	124,24	31,06	484,31
	1,00	21,52	16,90	6.451,78	2.443,10	11,87	17,70	205,89	138,04	34,51	538,12
	1,25	26,91	21,13	8.064,73	3.053,88	11,87	17,70	257,36	172,55	43,14	672,68
	1,50	32,29	25,35	9.677,68	3.664,66	11,87	17,70	308,84	207,07	51,77	807,20
S280	0,80	17,22	13,52	5.161,42	1.954,48	11,87	17,70	164,71	110,43	30,92	482,15
	0,90	19,37	15,21	5.806,60	2.198,79	11,87	17,70	185,30	124,24	34,79	542,42
	1,00	21,52	16,90	6.451,78	2.443,10	11,87	17,70	205,89	138,04	38,65	602,70
	1,25	26,91	21,13	8.064,73	3.053,88	11,87	17,70	257,36	172,55	48,32	753,41
	1,50	32,29	25,35	9.677,68	3.664,66	11,87	17,70	308,84	207,07	57,98	904,07
S320	0,80	17,22	13,52	5.161,42	1.954,48	11,87	17,70	164,71	110,43	35,34	551,03
	0,90	19,37	15,21	5.806,60	2.198,79	11,87	17,70	185,30	124,24	39,76	619,91
	1,00	21,52	16,90	6.451,78	2.443,10	11,87	17,70	205,89	138,04	44,17	688,80
	1,25	26,91	21,13	8.064,73	3.053,88	11,87	17,70	257,36	172,55	55,22	861,04
	1,50	32,29	25,35	9.677,68	3.664,66	11,87	17,70	308,84	207,07	66,26	1.033,22



APIMET

CUBIERTAS AUTOPORTANTES

Tlf: +34 924 207 569 · Fax: +34 924 263 554
Ctra. Madrid · Km. 397,97 · 06008 · Badajoz (España)

www.apimet.com

